

SAYTEX ALERO®

Fine™

CAS Number

88497-56-7

EINECS/EC

Molecular Formula

DESCRIPTION

SAYTEX ALERO® Fine™ is a polymeric flame retardant intended for use in coatings formulations which require controlled, small particle size. It is part of the SAYTEX ALERO platform, which provides flame retardant performance across a range of processing conditions while supporting formulation flexibility and customizable material properties.

Product suitability and recommended use levels should be determined for the specific polymer, processing conditions and required fire safety performance.

APPLICATION


SAYTEX ALERO Fine flame retardant is targeted for coating applications, including water-based latex-based compounds for textiles and adhesives.

FEATURES & BENEFITS

SAYTEX ALERO Fine flame retardant is in white powder form containing 72-73% bromine. No EPA Significant New Use Rule (SNUR) currently applies to SAYTEX ALERO Fine. Depending on the application, it is easily melt-blendable, returns high melt flow and provides excellent thermal and color stability while retaining high gloss and impact strength.

PHYSICAL PROPERTIES

Property	Value
Appearance/Form	White Powder, PST
% Bromine	~72-73
Average particle size (µm)	~3
Specific gravity (23 °C)	~2.3
Glass transition temperature (°C)	~130-140
TGA (TA Instruments, model Q500, 10 °C/min under N₂)	
1% weight loss, °C	338
5% weight loss, °C	367
10% weight loss, °C	376
Solubility (wt. % at 25 °C)	
Water	< 0.01
Acetone	< 2
Methanol	<0.01
Toluene	~78





The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website www.albemarle.com.

Please contact us at www.albemarle.com/contact with questions.