

# TECHNICAL DATA SHEET

Date of Issue: 2018/03/07

## Lithium Carbonate BG < 40 micron (new plant)

CAS-No.	554-13-2
EC-No.	209-062-5
REACH No.	01-2119516034-53
Molecular Formula	Li <sub>2</sub> CO <sub>3</sub>
Product Number	401314

---

**APPLICATION** Raw material for manufacturing lithium ion battery cathode materials, and others.

---

### SPECIFICATION

Chemical analysis:

Chemical	Guaranteed
Li <sub>2</sub> CO <sub>3</sub> *)	min. 99.8 %
Cl	max. 0.015 %
K	max. 0.001 %
Na	max. 0.040 %
Mg	max. 0.007 %
SO <sub>4</sub>	max. 0.050 %
Fe	max. 0.001 %
Ca	max. 0.010 %
H <sub>2</sub> O (110 °C)	max. 0.35 %

---

### PHYSICAL PROPERTIES

Appearance	fine powder to granular
Color	colorless

---

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website [www.albemarle-lithium.com](http://www.albemarle-lithium.com). Please contact us at [www.albemarle-lithium.com/contact](http://www.albemarle-lithium.com/contact) with questions.



Product Number: 401314

Date of Issue: 2018/03/07

---

Melting point/ range	722 °C Method: OECD Test Guideline 102
Boiling point/boiling range	ca. 1,310 °C
Density	2.11 g/cm <sup>3</sup> at 20 °C
Bulk density	ca. 430 kg/m <sup>3</sup> (401260 - BG <40µm) ca. 430 kg/m <sup>3</sup> (401303 - TG Industrial Grade) ca. 500 kg/m <sup>3</sup> (401223 - TG Fines) ca. 890 kg/m <sup>3</sup> (401203 - TG Compacted) ca. 940 kg/m <sup>3</sup> (401211 - TG Granules) ca. 950 kg/m <sup>3</sup> (401202 - TG Coarse Crystal)
Water solubility	8.4 g/L at 20 °C Method: OECD Test Guideline 105
Molecular weight	73.89 g/mol

---

## HANDLING & STORAGE

Handling No special precautions necessary.

---

## TRANSPORT & PACKAGING

ADR

Not regulated as a dangerous good

Hazard pictograms



Signal Word Warning

H&P Phrases See Safety Data Sheet

Labelling The labelling is according to EU-GHS classification ((EG) 1272/2008) and may vary in other countries. Please refer to the respective Safety Data Sheet for your country.

---

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website [www.albemarle-lithium.com](http://www.albemarle-lithium.com). Please contact us at [www.albemarle-lithium.com/contact](http://www.albemarle-lithium.com/contact) with questions.

## Packaging

600 kg, 500 kg and 333 kg bulk bags, 25 kg paper bags

---

## OTHER INFORMATION

Further Related Documents      Safety Data Sheet

---

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work environment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website [www.albemarle-lithium.com](http://www.albemarle-lithium.com). Please contact us at [www.albemarle-lithium.com/contact](http://www.albemarle-lithium.com/contact) with questions.