Diethyl Zinc, typ. 15 % solution in Technical Hexane (typ. 0.9 M)

CAS-No.	557-20-0
EC-No.	209-161-3
REACH No.	01-2119474681-33
Molecular Formula	Zn (C₂H₅)₂
Product Number	408408

FURTHER INGREDIENTS

Hexane			
CAS-No. EC-No.	64742-49-0 925-292-5		
20110.	020 202 0		

SPECIFICATION

Zn	approx.47.0 mol-%	
AI	approx.2.0 mol-%	
CI	approx.2.5 mol-%	
C2H6	approx.98.0 mol-%	
i-C4H10	approx.0.5 mol-%	
n-C4H10	approx.1.5 mol-%	
n-C4H8	approx.0.5 mol-%	
H2	approx.0.2 mol-%	

PHYSICAL PROPERTIES

Appearance	liquid
Color	colorless

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work norinoment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website www.albemarle-lithium.com. Please contact us at www.albemarle-lithium.com/contact with questions.



< -20 °C (Hexane)
55 - 85 °C (Hexane)
ca. 0.72 g/cm3 at 20 °C
(Not applicable)
(Not applicable)
123.51 g/mol

HANDLING & STORAGE

Handling

Store under exclusion of air and humidity. Keep container tightly closed. Keep away from sources of ignition. Take precautionary measures against static discharges. Handling only under inert gas (nitrogen or argon). Product is spontaneously flammable in air. Pay attention to official safety regulations (see also: "Transport regulations" and "Marking").

TRANSPORT & PACKAGING

UN number 3394

ADR	Class: 4.2	PG: I	Label: 4.2 (4.3)
RID	Class: 4.2	PG: I	Label: 4.2 (4.3)
IMDG	Class: 4.2	PG: I	Label: 4.2 (4.3)
IATA_C	Class: 4.2		
IATA_P	Class: 4.2		

Hazard pictograms



Signal Word H&P Phrases Danger

See Safety Data Sheet

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work norinoment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website www.albemarle-lithium.com/contact with questions.



Labelling

The labelling is according to EU-GHS classification ((EG) 1272/2008) and may vary in other countries. Please refer to the respective Safety Data Sheet for your country.

Packaging

Glass bottles of 100, 250, 500 and 1,000 ml. Steel bottles and containers with nominal volumes of 7.4, 27, 127, and 450 l. For safety reasons these are filled to a maximum of 90%.

OTHER INFORMATION

Further Related Safety Data Sheet Documents

The information presented herein is believed to be accurate and reliable, but is presented without guarantee or responsibility on the part of Albemarle Corporation and its subsidiaries and affiliates. It is the responsibility of the user to comply with all applicable laws and regulations and to provide for a safe workplace. The user should consider any health or safety hazards or information contained herein only as a guide, and should take those precautions which are necessary or prudent to instruct employees and to develop work practice procedures in order to promote a safe work norinoment. Further, nothing contained herein shall be taken as an inducement or recommendation to manufacture or use any of the herein materials or processes in violation of existing or future patent.

Technical data sheets may change frequently. You can download the latest version from our website www.albemarle-lithium.com/contact with questions.

